



Acetic Acid Solution

AGent

AGent SDS: Acetic Acid Solution [2026.01]

Version No: 2026.01

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Hazard Alert Code: 3

Issue Date: June 2026

Print Date: (auto-fills on print)

AGENT.GHS.AUS.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Acetic Acid Solution
Chemical Name	Acetic acid (aqueous, ~90%)
Synonyms	Ethanoic acid; methane carboxylic acid; vinegar acid; acetic acid food grade / technical grade
Proper shipping name	ACETIC ACID SOLUTION, more than 80% acid, by mass
Chemical formula	CH ₃ COOH in aqueous solution (~90% w/w)
Other means of identification	Acetic Acid Solution [2026.01]

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Acidulant, acidity modifier, flavour, antioxidant, stabiliser, preservative or bactericidal agent in the food and feed industries.
Uses advised against	Not for unprotected consumer use; not for application other than as specified.

Details of the manufacturer or supplier of the safety data sheet

Registered company name	AGent Sales & Services Pty Ltd
Address	38 May Holman Drive, Bassendean WA 6054, Australia
Telephone	(+61 8) 6270 4500 / 1300 833 844
Website	agentsales.com.au
Email	admin@agentsales.com.au

Emergency telephone number

Association / Organisation	Hazrad (outside 24-hour emergency response provider)
Emergency telephone numbers	08 9418 4200 (24-hour) — answered by Hazrad on AGent's behalf
Other emergency telephone numbers	Poisons Information Centre 131 126 (Australia) / 0800 764 766 (NZ)

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. Scheduled Poison S6. Classified under the WHS Regulations and the ADG Code — Class 8 Corrosive with subsidiary Class 3 Flammable Liquid hazard.

Poisons Schedule (SUSMP)	Schedule 6 (S6) — SUSMP
--------------------------	-------------------------

Classification

- Flammable Liquid Category 3 — H226
- Skin Corrosion/Irritation Category 1A — H314

Label elements

Hazard pictogram(s)	 
Signal word	DANGER

Hazard statement(s)

- H226 — Flammable liquid and vapour.
- H314 — Causes severe skin burns and eye damage.

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

- P210 — Keep away from heat / sparks / open flames / hot surfaces. No smoking.
- P233 — Keep container tightly closed.
- P240 — Ground / bond container and receiving equipment.
- P241 — Use explosion-proof electrical / ventilating / lighting equipment.
- P242 — Use only non-sparking tools.
- P243 — Take precautionary measures against static discharge.
- P260 — Do not breathe mist / vapours / spray.
- P264 — Wash thoroughly after handling.
- P280 — Wear protective gloves / protective clothing / eye protection / face protection.

Precautionary statement(s) Response

- P301+P330+P331 — IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P310 — Immediately call a POISON CENTRE / doctor.
- P303+P361+P353 — IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water / shower.
- P304+P340 — IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P321 — Specific treatment (see First Aid Measures).
- P305+P351+P338 — IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- P370+P378 — In case of fire: Use dry chemical, carbon dioxide or alcohol-resistant foam. Use water spray only to cool fire-exposed containers.
- P363 — Wash contaminated clothing before reuse.

Precautionary statement(s) Storage

- P403+P233 — Store in a well-ventilated place. Keep cool.
- P405 — Store locked up.

Precautionary statement(s) Disposal

- P501 — Dispose of contents/container in accordance with local, state and federal regulations.

Other hazards

Vapour is heavier than air and may travel to a source of ignition and flash back.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures.

Mixtures

CAS No.	% [weight]	Name	Classification
64-19-7	90	Acetic acid	Flam. Liq. 3 (H226); Skin Corr. 1A (H314)
7732-18-5	Balance	Water	Not classified

SECTION 4 First aid measures

Description of first aid measures

Eye Contact

Check for and remove any contact lenses. Immediately rinse thoroughly with plenty of running water for at least 15 minutes, keeping eyelids open. Seek medical advice / attention immediately — corrosive.

Skin Contact

Remove contaminated clothing and wash affected areas with soap and running water for at least 15 minutes. Launder clothing before reuse. Seek medical advice — corrosive.

Inhalation

Move person into fresh air. If not breathing, give artificial respiration. If rapid recovery does not occur, seek medical advice.

Ingestion

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Contact the Poisons Information Centre (Australia 131 126; New Zealand 0800 764 766) or a doctor immediately.

Most important symptoms and effects, both acute and delayed

Corrosive. Ingestion can cause severe injury — sore throat, vomiting, diarrhoea and oesophageal perforation. Eye and skin contact cause severe burns. Inhalation of vapour causes serious damage to the nose, throat and lungs.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Corrosive injury management. May aggravate skin and respiratory disorders. Contact the Poisons Information Centre (Australia 131 126; New Zealand 0800 764 766) for guidance.

First Aid facilities

Eye wash facilities and a safety shower must be available in any area where this product is handled.

SECTION 5 Firefighting measures

Extinguishing media

Dry chemical, carbon dioxide or alcohol-resistant foam. Use water spray only to cool fire-exposed containers or disperse unignited vapour.

Special hazards arising from the substance or mixture

Fire Incompatibility

Combustible liquid; will burn if heated. During a fire, irritating and toxic gases may be generated — carbon monoxide, carbon dioxide, formaldehyde, acetaldehyde and smoke.

Advice for firefighters

Fire Fighting

Wear positive-pressure self-contained breathing apparatus (SCBA) and full protective clothing or chemical splash suit. Stay upwind; keep out of low areas; eliminate ignition sources. Do NOT allow fire-fighting water to reach waterways or drains.

Fire / Explosion Hazard

Flammable liquid (Class 3 subsidiary). Flash point ~50 °C. Vapour may form an explosive mixture with air.

HAZCHEM Code	2P
---------------------	----

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See Section 8 for personal protective equipment requirements.

Eliminate ignition sources and ventilate. Approach from upwind; isolate the area. Wear PPE per Section 8; SCBA in confined spaces or where significant emissions occur.

Environmental precautions

Prevent leakage / spillage if safe. Do not let product enter drains or waterways. If contamination occurs, advise local emergency services. See Section 12.

Methods and material for containment and cleaning up

Minor Spills

Slippery when spilt — clean up immediately. Contain and prevent run-off to drains and waterways. Use inert absorbent (soil, sand). Collect and seal in labelled containers for disposal per Section 13. Wash area with excess water.

Major Spills

Eliminate ignition sources; isolate and ventilate the area; move upwind. Wear full chemical-resistant PPE and SCBA. Contain, absorb and collect as above. Notify the relevant Environmental Protection Authority.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour, mist and aerosol. Keep away from heat and ignition sources. Observe good personal hygiene, including washing hands before eating. Use PPE per Section 8.

Other information

Acetic acid contracts slightly on freezing (freezing point ~17 °C) which may burst containers. Store above freezing.

Conditions for safe storage, including any incompatibilities

Suitable container

Non-corrosive to 316 stainless steel; corrosive to 314 stainless steel; moderately corrosive to aluminium, copper and bronze. Use compatible (e.g. HDPE / 316 SS) containers, tightly closed.

Storage incompatibility

Store in a cool, dry, well-ventilated place away from ignition sources. Incompatible with oxidisers, reducing agents, strong bases, nitric / sulphuric / hydrofluoric acid, chromic acid, perchloric acid and most metals (except aluminium). Slowly liberates explosive hydrogen with stainless steel.

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

Reference: Safe Work Australia, "Workplace Exposure Limits for Airborne Contaminants" (April 2024) by Safe Work Australia.

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
SWA WEL 2024	Acetic acid	Acetic acid (CAS 64-19-7)	25 mg/m ³ (10 ppm)	37 mg/m ³ (15 ppm)	Not assigned in SWA WEL 2024	AGent operates AU-only; non-AU OELs not applicable.
SWA WEL 2024	Water	Water (component)	Not applicable	Not applicable	Not applicable	Water — no exposure limit defined.

Emergency Limits

Ingredient	TEEL-1	TEEL-2	TEEL-3
Acetic acid	Not established (DOE PAC)	Not established (DOE PAC)	Not established (DOE PAC)
Ingredient	Original IDLH		Revised IDLH
Acetic acid	50 ppm (NIOSH IDLH)		50 ppm (NIOSH)

MATERIAL DATA

No whole-mixture occupational exposure data are available; manage on a per-component basis (above).

Exposure controls

Appropriate engineering controls

Apply the hierarchy of controls (WHS Reg 36). Where elimination or substitution is not reasonably practicable: provide local exhaust ventilation at points of vapour / mist generation; use closed transfer systems where possible; ensure general

ventilation is adequate to keep airborne concentrations below the applicable WEL. Document the risk assessment supporting the chosen control hierarchy.

Individual protection measures, such as personal protective equipment

Eye and face protection

Safety glasses with side shields (AS/NZS 1336 & 1337) as a minimum. Chemical goggles and a face shield (AS/NZS 1336 & 1337) where splash potential exists.

Skin protection

See Hand protection below.

Hands/feet protection

Wear impervious chemical-resistant gloves (e.g. butyl rubber or neoprene, per AS/NZS 2161) and protective clothing (splash apron, rubber boots). Inspect gloves before use; dispose of contaminated gloves and wash hands. Splash-proof goggles or safety glasses with side shields.

Body protection

See Other protection below.

Other protection

Long-sleeved chemical-resistant protective clothing and apron (PVC or equivalent)

Respiratory protection

If a risk assessment indicates an inhalation risk exists, wear a half-face or full-face respirator with appropriate filter (selection per AS/NZS 1715; respirator per AS/NZS 1716). Specific cartridge / canister recommendation to be confirmed during respiratory protection risk assessment per AS/NZS 1715.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Property	Value
Appearance	Viscous liquid — clear, colourless
Physical state	Liquid
Odour	Strong vinegar
Odour threshold	24 ppm
pH (as supplied)	2.9 (1% solution)
Melting point / freezing point (°C)	17 °C (freezing point)
Initial boiling point and boiling range (°C)	116 °C (initial)
Flash point (°C)	50 °C
Evaporation rate	0.97 (butyl acetate = 1)
Flammability	Flammable — flammability limits 5.5 – 16% v/v
Upper Explosive Limit (%)	16% v/v
Lower Explosive Limit (%)	5.5% v/v
Vapour pressure (kPa)	1.5 kPa @ 20 °C (11 mmHg)
Solubility in water	Miscible
Vapour density (Air = 1)	2.1 (Air = 1)
Relative density (Water = 1)	1.07 @ 20 °C
Partition coefficient n-octanol/water	log Kow = -0.17 (acetic acid)
Auto-ignition temperature (°C)	No data available in source SDS
Decomposition temperature (°C)	No data available in source SDS
Viscosity (cSt)	Not Provided
Molecular weight (g/mol)	60.05 g/mol (acetic acid)
Taste	Not applicable — do not taste
Explosive properties	None known
Oxidising properties	None known
Surface Tension (dyn/cm or mN/m)	Not Provided

Volatile Component (% vol)	% volatiles ~90 (water + acetic acid)
Gas group	Not applicable
pH as a solution (1%)	2.9 (1% solution)
VOC g/L	Acetic acid is volatile; refer to as-supplied concentration. No added VOC solvent.

SECTION 10 Stability and reactivity

Reactivity	Corrosive liquid. Reacts with alkalis and most metals. See Section 7.
Chemical stability	Stable under ordinary conditions. Heat and sunlight may contribute to instability. Releases heat and irritating vapours when mixed with water.
Possibility of hazardous reactions	Will not polymerise. Slowly liberates explosive hydrogen with stainless steel.
Conditions to avoid	Excessive heat, direct sunlight, moisture, freezing, static charges, flames, sparks.
Incompatible materials	See Section 7. Oxidisers; reducing agents; strong bases; nitric / sulphuric / hydrofluoric / chromic / perchloric acid; most metals.
Hazardous decomposition products	See Section 5. Carbon monoxide, carbon dioxide and smoke.

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled

Inhalation of concentrated vapour may cause serious damage to the nose, throat and lungs; breathing difficulties may occur.

Ingestion

Swallowing can cause severe injury, potentially fatal — as little as 1.0 mL has caused oesophageal perforation.

Skin Contact

Corrosive — causes severe skin burns (H314). High vapour concentrations may cause sensitisation.

Eye

Corrosive — concentrated solution may cause severe eye damage and loss of sight; vapour causes intense watering and irritation.

Chronic

May aggravate pre-existing skin and respiratory disorders. No specific cumulative data in source SDS.

Per-ingredient toxicity

Ingredient	TOXICITY	IRRITATION
Acetic acid	Oral LD50 (rat): 3,310 mg/kg; Dermal LD50 (rabbit): 1,060 mg/kg; Inhalation LC50 (mouse): 5,620 ppm/1 h	Corrosive (Skin Corr. 1A); standard Draize skin (human) 50 mg/24 h — mild
Water	Not applicable	Not applicable

Hazard checklist (whole-product classification basis)

Hazard endpoint	Classified	Hazard endpoint	Classified
Acute Toxicity	—	Carcinogenicity	—
Skin Irritation/Corrosion	✓	Reproductive Toxicity	—
Serious Eye Damage/Irritation	✓	STOT — Single Exposure	—
Respiratory or Skin Sensitisation	—	STOT — Repeated Exposure	—
Mutagenicity	—	Aspiration Hazard	—

Legend: ✓ = Data available to make classification; — = Data either not available or does not fill the criteria for classification.

Information on possible routes of exposure

Absorbed by ingestion, inhalation of vapour / mist / aerosol, eye and skin contact.

Additional Information

RTECS	Not available
-------	---------------

SECTION 12 Ecological information

Toxicity

Ingredient	Endpoint	Test Duration	Species	Value	Source
Acetic acid	LC50	96 hr	Fathead minnow (Pimephales promelas)	88 mg/L	AGent SDS
Acetic acid	LC50	48 hr	Shrimp	100 – 300 mg/L	AGent SDS

Environmental precaution: Prevent entry to drains, waterways and soak-aways. Notify the relevant Environmental Protection Authority if waterway contamination occurs.

Persistence and degradability

Ingredient	Persistence: Water / Soil	Persistence: Air
Acetic acid	Readily biodegradable. In water, expected half-life 1–10 days; in air, degraded by hydroxyl radicals (half-life 10–30 days). Standard dilution BOD5/TOD = 58%.	Moderately degraded in air by photochemically-produced hydroxyl radicals.

Bioaccumulative potential

Ingredient	Bioaccumulation
Acetic acid	Not expected to bioaccumulate (estimated BCF < 100; log Kow = -0.17).

Mobility in soil

Ingredient	Mobility
Acetic acid	High mobility in water (miscible). Readily biodegraded in soil — low persistence.

Other adverse effects

Slightly to moderately toxic to aquatic life (fish LC50 10–100 mg/L). Low-pH; avoid uncontrolled discharge to poorly-buffered waterways.

SECTION 13 Disposal considerations**Waste treatment methods****Product / Packaging disposal**

- Recycle wherever possible.
- Ensure waste disposal conforms to all relevant local, state and federal authority waste disposal regulations.
- Do NOT discharge into sewers or waterways.
- Empty containers should be returned via AGent's Closed Loop container return program where applicable.
- Whatever cannot be saved for recovery or recycling should be managed through an approved waste disposal facility.
- Dilute and neutralise residual material cautiously before disposal; ensure disposal conforms to local, state and federal regulations.

SECTION 14 Transport information

Labels Required	Class 8 (Corrosive); Subsidiary Class 3 (Flammable Liquid) — see ADG Table 3.2.3
Marine Pollutant	No
HAZCHEM Code	2P

Land transport (ADG)

UN number	2789
UN proper shipping name	ACETIC ACID SOLUTION, more than 80% acid, by mass
Transport hazard class(es)	Class 8 (Corrosive); Subsidiary Hazard: Class 3 (Flammable Liquid)
Packing group	II
Environmental hazard	Not Applicable
Special precautions for user	ADG Table 3.2.3: no special provisions listed (col 6). Limited quantity (col 7a): 1 L. Packaging Instruction P001 (col 8); IBC02 (col 8b); Portable Tank T7 / TP2 (col 10/11).
ERG / EIP number	ANZ-ERG 2024 Guide 132 (Flammable Liquids - Corrosive).

Air transport (ICAO-IATA / DGR)

UN number	2789
UN proper shipping name (lowercase)	Acetic acid solution
ICAO/IATA Class	Class 8; Subsidiary Class 3; ERG Code: Not Applicable — AGent does not air-freight
Packing group	II
Environmental hazard	Not Applicable
Special provisions	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above.
Cargo Only Packing Instructions	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.
Cargo Only Max Qty/Pack	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.
Passenger and Cargo Packing Instructions	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.
Passenger and Cargo Max Qty/Pack	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.

Sea transport (IMDG-Code / GGVSee)

UN number	2789
UN proper shipping name	ACETIC ACID SOLUTION, more than 80% acid, by mass
IMDG Class	Class 8; Subsidiary Class 3
Packing group	II
Environmental hazard	Not a Marine Pollutant
EMS Number	F-E, S-C
Special provisions	Not Applicable — AGent does not export this product or transport it by sea. Refer to land transport (ADG) above.

Transport in bulk according to MARPOL Annex II and the IBC Code

Not Applicable — AGent does not transport this product in bulk by sea.

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
Acetic Acid Solution	Not Applicable — AGent does not transport this product in bulk by sea.

Transport in bulk in accordance with the IGC Code

Product name	Ship Type
Acetic Acid Solution	Not Applicable — AGent does not transport this product in bulk by sea.

SECTION 15 Regulatory information**Safety, health and environmental regulations / legislation specific for the substance or mixture**

ACETIC ACID (CAS 64-19-7) is found on / assessed against the following regulatory lists:

- Australia Hazardous Chemical Information System (HCIS): Flam. Liq. 3, Skin Corr. 1A
- Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 6 (S6)
- Australian Inventory of Industrial Chemicals (AIIC): Listed
- IARC Group classification: Not classified
- Schedule 10 of the model WHS Regulations (prohibited / restricted carcinogens): Not listed
- Schedule 14 of the model WHS Regulations (health monitoring trigger): Not listed

Additional Regulatory Information

Subject to: Work Health and Safety (General) Regulations 2022 (WA); "Workplace Exposure Limits for Airborne Contaminants" (April 2024) by Safe Work Australia; Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code) current edition.

National Inventory Status

Country / Inventory	Listed
Australia (AIIC / AICS)	Yes
Canada (DSL)	Not applicable — AGent does not export this product
Canada (NDSL)	Not applicable — AGent does not export this product
China (IECSC)	Not applicable — AGent does not export this product
Europe (EINECS / ELINCS / NLP)	Not applicable — AGent does not export this product
Japan (ENCS)	Not applicable — AGent does not export this product
Korea (KECI)	Not applicable — AGent does not export this product
New Zealand (NZIoC)	Not applicable — AGent does not export this product
Philippines (PICCS)	Not applicable — AGent does not export this product
USA (TSCA)	Not applicable — AGent does not export this product
Taiwan (TCSI)	Not applicable — AGent does not export this product
Mexico (INSQ)	Not applicable — AGent does not export this product
Vietnam (NCI)	Not applicable — AGent does not export this product
Russia (FBEPH)	Not applicable — AGent does not export this product

Legend: Yes = All CAS declared ingredients are on the inventory; No = One or more CAS listed ingredients are not on the inventory (may be exempt or require registration).

SECTION 16 Other information

Revision Date	June 2026
Initial Date	June 2026 (AGent 2026 format)

SDS Version Summary

Version	Date of Update	Sections Updated
2026.01 (AGent 2026 format)	June 2026	Reformatted from legacy V2.2 to AGent 2026 layout. §8 confirmed against SWA WEL 2024; §14 ERG updated to ANZ-ERG 2024 Guide 132; removed superseded legacy abbreviations and exposure-standard references; AICS updated to AIIC. Classification unchanged (Flam. Liq. 3, Skin Corr. 1A; DG Class 8 subsid. 3; S6).
V2.2 (legacy AGent format)	March 2023	Older format. Same hazard classification and DG transport status (UN 2789 / Class 8 (3) / PG II).

Other information

This SDS is intended as a hazard communication tool to assist in workplace Risk Assessment. It is not an Australian Standard or a definitive document.

Definitions and abbreviations

Abbreviation	Definition
ADG	Australian Dangerous Goods Code
AICS / AIIC	Australian Inventory of Industrial Chemicals (formerly AICS)
AUH	Additional / Australian Hazard statements
BCF	Bioconcentration Factor
BEI	Biological Exposure Index
CAS	Chemical Abstracts Service Registry Number
DNEL	Derived No Effect Level
DSEN	Dermal sensitiser (SWA WEL 2024 notation)
EC50	Effect Concentration causing effect in 50% of test population
EMS	IMDG Emergency Schedule
ERG / EIP	Emergency Response Guide / Emergency Information Panel (SAA/SNZ HB76)
ES	Exposure Standard (legacy term — now WEL)
GHS	Globally Harmonised System of Classification and Labelling
HCIS	Hazardous Chemical Information System (Safe Work Australia)
IARC	International Agency for Research on Cancer
IDLH	Immediately Dangerous to Life or Health
LC50	Lethal Concentration causing death in 50% of test population
LD50	Lethal Dose causing death in 50% of test population
LOAEL	Lowest Observed Adverse Effect Level
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
OEL	Occupational Exposure Limit
OTO	Ototoxic (SWA WEL 2024 notation)
PC-STEL	Permissible Concentration — Short Term Exposure Limit
PC-TWA	Permissible Concentration — Time Weighted Average
PNEC	Predicted No Effect Concentration
RSEN	Respiratory sensitiser (SWA WEL 2024 notation)
SDS	Safety Data Sheet
Sk	Skin notation — absorption through the skin a significant route
STEL	Short Term Exposure Limit (15 min TWA)
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
SWA	Safe Work Australia
TEEL	Temporary Emergency Exposure Limit

TLV	Threshold Limit Value
TWA	Time Weighted Average (8 hr / 40 hr week)
WEL	Workplace Exposure Limit (Safe Work Australia, April 2024)
WHS	Work Health and Safety

Disclaimer

AGent Sales & Services Pty Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. A properly trained person using this product intends this document only as a guide to the appropriate precautionary handling of the material. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. AGent Sales & Services Pty Ltd makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, AGent Sales & Services Pty Ltd will not be responsible for damages resulting from use of or reliance upon this information.

end of SDS