



Calcium Hypochlorite

AGent

AGent SDS: Calcium Hypochlorite [2026.01]

Version No: 2026.01

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Hazard Alert Code: 3

Issue Date: June 2026

Print Date: (auto-fills on print)

AGENT.GHS.AUS.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Calcium Hypochlorite
Chemical Name	Calcium hypochlorite (hydrated, granular)
Synonyms	Dry chlorine; calcium hypochlorite hydrated; granular chlorine; chlorinated lime
Proper shipping name	CALCIUM HYPOCHLORITE, HYDRATED (with not less than 5.5% but not more than 16% water)
Chemical formula	$\text{Ca}(\text{OCl})_2$ (granular, > 60% available chlorine basis)
Other means of identification	Calcium Hypochlorite [2026.01]

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Swimming pool sanitiser, algaecide, bactericide; water purification and oxidising agent.
Uses advised against	Do NOT mix with other chemicals or acids. Not for domestic / unprotected consumer use.

Details of the manufacturer or supplier of the safety data sheet

Registered company name	AGent Sales & Services Pty Ltd
Address	38 May Holman Drive, Bassendean WA 6054, Australia
Telephone	(+61 8) 6270 4500 / 1300 833 844
Website	agentsales.com.au
Email	admin@agentsales.com.au

Emergency telephone number

Association / Organisation	Hazrad (outside 24-hour emergency response provider)
Emergency telephone numbers	08 9418 4200 (24-hour) — answered by Hazrad on AGent's behalf
Other emergency telephone numbers	Poisons Information Centre 131 126 (Australia) / 0800 764 766 (NZ)

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. Scheduled Poison S6. Classified under the WHS Regulations and the ADG Code — Class 5.1 Oxidising Substance; environmentally hazardous.

Poisons Schedule (SUSMP)	Schedule 6 (S6) — SUSMP
--------------------------	-------------------------

Classification

- Oxidising Solids Category 2 — H272
- Acute Toxicity (Oral) Category 4 — H302

- Skin Corrosion/Irritation Category 1B — H314
- Hazardous to the Aquatic Environment (Acute) Category 1 — H400

Label elements

Hazard pictogram(s)	
Signal word	DANGER

Hazard statement(s)

- H272 — May intensify fire; oxidiser.
- H302 — Harmful if swallowed.
- H314 — Causes severe skin burns and eye damage.
- H400 — Very toxic to aquatic life.

Supplementary statement(s)

- AUH031 — Contact with acids liberates toxic gas (chlorine).

Precautionary statement(s) Prevention

- P210 — Keep away from heat.
- P220 — Keep / store away from clothing and combustible materials.
- P221 — Take any precaution to avoid mixing with combustibles.
- P260 — Do not breathe dust or mist.
- P264 — Wash skin thoroughly after handling.
- P270 — Do not eat, drink or smoke when using this product.
- P273 — Avoid release to the environment.
- P280 — Wear protective gloves / protective clothing / eye protection / face protection.

Precautionary statement(s) Response

- P301+P330+P331 — IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P301+P312 — Call a POISON CENTRE / doctor if you feel unwell.
- P303+P361+P353 — IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water / shower.
- P363 — Wash contaminated clothing before reuse.
- P305+P351+P338 — IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- P310 — Immediately call a POISON CENTRE / doctor.
- P370+P378 — In case of fire: Use dry sand, dry chemical or alcohol-resistant foam.
- P391 — Collect spillage.

Precautionary statement(s) Storage

- P405 — Store locked up. Store in a cool, dry, well-ventilated place away from heat, combustibles and acids.

Precautionary statement(s) Disposal

- P501 — Dispose of contents/container to an approved waste disposal plant.

Other hazards

Contact with acids liberates toxic chlorine gas. Slowly decomposes in moist conditions releasing chlorine.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures.

Mixtures

CAS No.	% [weight]	Name	Classification
7778-54-3	> 60	Calcium hypochlorite	Ox. Sol. 2 (H272); Acute Tox. 4 (H302); Skin Corr. 1B (H314); Aquatic Acute 1 (H400)
7732-18-5	Balance (water of hydration / inerts)	Water and inert ingredients	Not classified

SECTION 4 First aid measures

Description of first aid measures

Eye Contact

Check for and remove any contact lenses. Immediately rinse thoroughly with plenty of running water for at least 15 minutes, keeping eyelids open. Consult a doctor.

Skin Contact

Remove contaminated clothing and wash affected areas with soap and water. Consult a doctor. Launder clothing before reuse.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical attention.

Ingestion

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a doctor immediately. Contact the Poisons Information Centre (Australia 131 126; New Zealand 0800 764 766).

Most important symptoms and effects, both acute and delayed

Corrosive — causes severe skin and eye burns. Inhalation of dust / mist or liberated chlorine causes burning of the respiratory tract; high concentration may cause pulmonary oedema. Ingestion causes burns to the mouth, throat and digestive tract.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Corrosive injury management; monitor for delayed pulmonary oedema after chlorine inhalation. Contact the Poisons Information Centre (Australia 131 126; New Zealand 0800 764 766).

First Aid facilities

Eye wash facilities and a safety shower must be available in any area where this product is handled.

SECTION 5 Firefighting measures

Extinguishing media

Water fog (or fine water spray), foam, dry agent (carbon dioxide, dry chemical powder). Flood with water to keep cool — oxidiser supports combustion.

Special hazards arising from the substance or mixture

Fire Incompatibility

Not combustible but a strong oxidiser — intensifies fire. Decomposes emitting chlorine and oxygen (an accelerant).

Advice for firefighters

Fire Fighting

Wear self-contained breathing apparatus (SCBA) and full protective clothing. Cool fire-exposed containers from a protected position. Do NOT allow fire-fighting water to reach waterways.

Fire / Explosion Hazard

Class 5.1 Oxidising Substance. Accelerates burning of combustibles. Decomposes releasing chlorine and oxygen.

HAZCHEM Code	1W
---------------------	----

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See Section 8 for personal protective equipment requirements.

Wear respiratory protection. Avoid dust formation and breathing dust / vapours / gas. Ensure adequate ventilation. Evacuate non-essential personnel.

Environmental precautions

Very toxic to aquatic life — do not let product enter drains, waterways or sewers. If contamination occurs, advise local emergency services. See Section 12.

Methods and material for containment and cleaning up

Minor Spills

Sweep up using clean, non-sparking tools into a clean container for disposal per Section 13. Do NOT flush with water. Do NOT return spilled product to the original container. Keep away from combustibles and acids.

Major Spills

Clear and isolate the area; move upwind. Wear SCBA and full PPE. Collect with non-sparking equipment. Do NOT use water on the spilled solid; do NOT contaminate with combustibles or acids. Notify the Environmental Protection Authority.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Keep away from heat and ignition sources — no smoking. Do NOT mix with other chemicals. Do NOT add water to the product — add the product to water. Use only clean utensils.

Other information

Take precautions against static discharge. Provide exhaust ventilation where dust is formed. Keep dry.

Conditions for safe storage, including any incompatibilities

Suitable container

Store in the original container, tightly closed, in a cool, dry, well-ventilated place out of direct sunlight. Keep dry — never allow contact with water during storage.

Storage incompatibility

Incompatible with chloroisocyanurates, ammonium nitrate, acids, organic and combustible materials, reducing agents, ammonia and nitrogen compounds, aluminium, iron, lead, magnesium and zinc. Store away from heat / ignition sources and acids. Segregate per ADG Code segregation rules."

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

Reference: Safe Work Australia, "Workplace Exposure Limits for Airborne Contaminants" (April 2024) by Safe Work Australia.

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
SWA WEL 2024	Chlorine (liberated on contact with acids / moisture)	Chlorine (CAS 7782-50-5)	Not assigned (peak limitation applies)	Not assigned in SWA WEL 2024	1 ppm (2.9 mg/m ³) — peak limitation	SWA WEL 2024 chlorine Peak Limitation 1 ppm.
SWA WEL 2024	Calcium hypochlorite	Calcium hypochlorite (CAS 7778-54-3)	Not assigned in SWA WEL 2024	Not assigned in SWA WEL 2024	Not assigned in SWA WEL 2024	No workplace exposure limit assigned to calcium hypochlorite.

Emergency Limits

Ingredient	TEEL-1	TEEL-2	TEEL-3
Calcium hypochlorite	Not established (DOE PAC)	Not established (DOE PAC)	Not established (DOE PAC)
Ingredient	Original IDLH		Revised IDLH
Calcium hypochlorite	Not established (NIOSH)		Not established (NIOSH)

MATERIAL DATA

No whole-mixture occupational exposure data are available; manage on a per-component basis (above).

Exposure controls

Appropriate engineering controls

Apply the hierarchy of controls (WHS Reg 36). Where elimination or substitution is not reasonably practicable: provide local exhaust ventilation at points of vapour / mist generation; use closed transfer systems where possible; ensure general ventilation is adequate to keep airborne concentrations below the applicable WEL. Document the risk assessment supporting the chosen control hierarchy.

Individual protection measures, such as personal protective equipment

Eye and face protection

Safety glasses with side shields (AS/NZS 1336 & 1337) as a minimum. Chemical goggles and a face shield (AS/NZS 1336 & 1337) where splash potential exists.

Skin protection

See Hand protection below.

Hands/feet protection

Wear chemical-resistant gloves (PVC / neoprene, per AS/NZS 2161) and protective clothing. Inspect gloves before use; dispose of contaminated gloves and wash hands. Face shield and safety glasses / goggles; P3 / N100 respirator where dust risk exists.

Body protection

See Other protection below.

Other protection

Long-sleeved chemical-resistant protective clothing and apron (PVC or equivalent)

Respiratory protection

If a risk assessment indicates an inhalation risk exists, wear a half-face or full-face respirator with appropriate filter (selection per AS/NZS 1715; respirator per AS/NZS 1716). Specific cartridge / canister recommendation to be confirmed during respiratory protection risk assessment per AS/NZS 1715.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Property	Value
Appearance	Granular solid — white
Physical state	Solid (granular)
Odour	Chlorine
Odour threshold	No data available in source SDS
pH (as supplied)	11.6 – 12.0 @ 10% solution
Melting point / freezing point (°C)	100 °C (lit.)
Initial boiling point and boiling range (°C)	Not applicable — decomposes before boiling
Flash point (°C)	Not applicable — non-combustible oxidiser
Evaporation rate	Not applicable — solid
Flammability	Not flammable (oxidiser — supports combustion)
Upper Explosive Limit (%)	Not applicable
Lower Explosive Limit (%)	Not applicable
Vapour pressure (kPa)	Not applicable — solid
Solubility in water	180 g/L @ 20 °C (reacts, liberating chlorine)
Vapour density (Air = 1)	Not applicable — solid
Relative density (Water = 1)	2.35 g/cm ³ @ 20 °C
Partition coefficient n-octanol/water	Not applicable — inorganic salt
Auto-ignition temperature (°C)	Not applicable — non-combustible oxidiser
Decomposition temperature (°C)	Approx. 180 °C
Viscosity (cSt)	Not applicable — solid
Molecular weight (g/mol)	142.98 g/mol (calcium hypochlorite)

Taste	Not applicable — do not taste
Explosive properties	None — but a strong oxidiser; fire / explosion risk with combustibles
Oxidising properties	Oxidising solid (Category 2) — H272
Surface Tension (dyn/cm or mN/m)	Not applicable — solid
Volatile Component (% vol)	Not applicable — solid
Gas group	Not applicable
pH as a solution (1%)	Approximately 10.8 (1% solution)
VOC g/L	0 g/L — inorganic solid; no VOC

SECTION 10 Stability and reactivity

Reactivity	Strong oxidiser. Reacts with acids liberating toxic chlorine gas. Slowly decomposes in moist conditions. See Section 7.
Chemical stability	Stable under normal dry storage; slowly decomposes to chlorine and chlorinated species in moist conditions.
Possibility of hazardous reactions	Reacts with acids, ammonia, urea, amines, organics and combustibles — may initiate hazardous decomposition, fire or explosion.
Conditions to avoid	Moisture; poor ventilation; contamination; excessive heat; sparks; open flames; ignition sources.
Incompatible materials	See Section 7. Acids; chloroisocyanurates; ammonium nitrate; organics; combustibles; reducing agents; ammonia; reactive metals.
Hazardous decomposition products	See Section 5. Chlorine, oxygen and chlorine monoxide at higher temperatures.

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled

Corrosive to the respiratory tract. Dust / mist and liberated chlorine cause burning, coughing, wheezing; high concentrations may cause pulmonary oedema.

Ingestion

Causes burns to the mouth, throat and digestive tract; severe exposure may be fatal.

Skin Contact

Corrosive — causes severe skin burns (H314).

Eye

Corrosive — causes serious eye damage / burns; may cause permanent eye damage.

Chronic

No specific chronic-effect data identified in the source SDS. Manage on the corrosive / oxidiser basis above.

Per-ingredient toxicity

Ingredient	TOXICITY	IRRITATION
Calcium hypochlorite	Oral LD50 (rat): 850 mg/kg	Corrosive (Skin Corr. 1B / serious eye damage)
Water / inerts	Not applicable	Not applicable

Hazard checklist (whole-product classification basis)

Hazard endpoint	Classified	Hazard endpoint	Classified
Acute Toxicity	✓	Carcinogenicity	—
Skin Irritation/Corrosion	✓	Reproductive Toxicity	—
Serious Eye Damage/Irritation	✓	STOT — Single Exposure	—
Respiratory or Skin Sensitisation	—	STOT — Repeated Exposure	—
Mutagenicity	—	Aspiration Hazard	—

Legend: ✓ = Data available to make classification; — = Data either not available or does not fill the criteria for classification.

Information on possible routes of exposure

Absorbed by ingestion and inhalation; corrosive on skin and eye contact.

Additional Information

RTECS	NH3485000
-------	-----------

SECTION 12 Ecological information

Toxicity

Ingredient	Endpoint	Test Duration	Species	Value	Source
Calcium hypochlorite	LC50	96 hr	Lepomis macrochirus (Bluegill)	0.057 mg/L	AGent SDS
Calcium hypochlorite	EC50	48 hr	Daphnia magna	0.067 mg/L	AGent SDS

Environmental precaution: Prevent entry to drains, waterways and soak-aways. Notify the relevant Environmental Protection Authority if waterway contamination occurs.

Persistence and degradability

Ingredient	Persistence: Water / Soil	Persistence: Air
Calcium hypochlorite	Not applicable in the OECD biodegradation sense — inorganic oxidiser. Hydrolyses / reacts in water to hypochlorite and chloride; oxidising action dissipates over time.	Not applicable — non-volatile solid.

Bioaccumulative potential

Ingredient	Bioaccumulation
Calcium hypochlorite	Not expected to bioaccumulate (reactive inorganic salt).

Mobility in soil

Ingredient	Mobility
Calcium hypochlorite	Soluble and mobile in water but reactive — oxidising action and chloride formation limit persistence.

Other adverse effects

Very toxic to aquatic life (H400). Avoid all uncontrolled discharge to waterways — strongly oxidising and toxic at low concentrations.

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal

- Recycle wherever possible.
- Ensure waste disposal conforms to all relevant local, state and federal authority waste disposal regulations.
- Do NOT discharge into sewers or waterways.
- Empty containers should be returned via AGent's Closed Loop container return program where applicable.
- Whatever cannot be saved for recovery or recycling should be managed through an approved waste disposal facility.
- Untreated waste calcium hypochlorite must NEVER be discharged to sewers or surface water. Following decontamination, secure landfill may be acceptable — contact a specialist disposer.

SECTION 14 Transport information

Labels Required	Class 5.1 (Oxidising Agent) — see ADG Table 3.2.3
Marine Pollutant	Yes
HAZCHEM Code	1W

Land transport (ADG)

UN number	2880
UN proper shipping name	CALCIUM HYPOCHLORITE, HYDRATED (with not less than 5.5% but not more than 16% water)
Transport hazard class(es)	Class 5.1 (Oxidising Substance); Subsidiary Hazard: Not Applicable
Packing group	II
Environmental hazard	Environmentally hazardous (very toxic to aquatic life)
Special precautions for user	Special provisions per ADG Table 3.2.3 (UN 2880 PG II) col 6: 314 and 322. Limited quantity (col 7a): 1 kg. Excepted quantity (col 7b): E2. Packaging Instruction P002 (col 8) with PP85; IBC08 (col 8b) with B2/B4/B13.
ERG / EIP number	ANZ-ERG 2024 Guide 140 (Oxidisers).

Air transport (ICAO-IATA / DGR)

UN number	2880
UN proper shipping name (lowercase)	Calcium hypochlorite, hydrated
ICAO/IATA Class	Class 5.1; ERG Code: Not Applicable — AGent does not air-freight
Packing group	II
Environmental hazard	Not Applicable
Special provisions	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above.
Cargo Only Packing Instructions	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.
Cargo Only Max Qty/Pack	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.
Passenger and Cargo Packing Instructions	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.
Passenger and Cargo Max Qty/Pack	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.

Sea transport (IMDG-Code / GGVSee)

UN number	2880
UN proper shipping name	CALCIUM HYPOCHLORITE, HYDRATED (with not less than 5.5% but not more than 16% water)
IMDG Class	Class 5.1
Packing group	II
Environmental hazard	Marine Pollutant
EMS Number	F-A, S-B
Special provisions	Not Applicable — AGent does not export this product or transport it by sea. Refer to land transport (ADG) above.

Transport in bulk according to MARPOL Annex II and the IBC Code

Not Applicable — AGent does not transport this product in bulk by sea.

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
Calcium Hypochlorite	Not Applicable — AGent does not transport this product in bulk by sea.

Transport in bulk in accordance with the IGC Code

Product name	Ship Type
Calcium Hypochlorite	Not Applicable — AGent does not transport this product in bulk by sea.

SECTION 15 Regulatory information**Safety, health and environmental regulations / legislation specific for the substance or mixture**

CALCIUM HYPOCHLORITE (CAS 7778-54-3) is found on / assessed against the following regulatory lists:

- Australia Hazardous Chemical Information System (HCIS): Ox. Sol. 2, Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1
- Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 6 (S6)
- Australian Inventory of Industrial Chemicals (AIIC): Listed
- IARC Group classification: Group 3 (not classifiable)
- Schedule 10 of the model WHS Regulations (prohibited / restricted carcinogens): Not listed
- Schedule 14 of the model WHS Regulations (health monitoring trigger): Not listed

Additional Regulatory Information

Subject to: Work Health and Safety (General) Regulations 2022 (WA); "Workplace Exposure Limits for Airborne Contaminants" (April 2024) by Safe Work Australia; Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code) current edition.

National Inventory Status

Country / Inventory	Listed
Australia (AIIC / AICS)	Yes
Canada (DSL)	Not applicable — AGent does not export this product
Canada (NDSL)	Not applicable — AGent does not export this product
China (IECSC)	Not applicable — AGent does not export this product
Europe (EINECS / ELINCS / NLP)	Not applicable — AGent does not export this product
Japan (ENCS)	Not applicable — AGent does not export this product
Korea (KECI)	Not applicable — AGent does not export this product
New Zealand (NZIoC)	Not applicable — AGent does not export this product
Philippines (PICCS)	Not applicable — AGent does not export this product
USA (TSCA)	Not applicable — AGent does not export this product
Taiwan (TCSI)	Not applicable — AGent does not export this product
Mexico (INSQ)	Not applicable — AGent does not export this product
Vietnam (NCI)	Not applicable — AGent does not export this product
Russia (FBEPH)	Not applicable — AGent does not export this product

Legend: Yes = All CAS declared ingredients are on the inventory; No = One or more CAS listed ingredients are not on the inventory (may be exempt or require registration).

SECTION 16 Other information

Revision Date	June 2026
Initial Date	June 2026 (AGent 2026 format)

SDS Version Summary

Version	Date of Update	Sections Updated
2026.01 (AGent 2026 format)	June 2026	Reformatted from legacy V3.2 to AGent 2026 layout. §8 updated to SWA WEL 2024 (chlorine peak); §14 ERG updated to ANZ-ERG 2024 Guide 140; removed superseded legacy abbreviations and exposure-standard references; AICS updated to AIIC. Classification unchanged (Ox. Sol. 2, Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1; DG Class 5.1 PG II; S6).
V3.2 (legacy AGent format)	March 2023	Older format. Same hazard classification and DG transport status (UN 2880 / Class 5.1 / PG II).

Other information

This SDS is intended as a hazard communication tool to assist in workplace Risk Assessment. It is not an Australian Standard or a definitive document.

Definitions and abbreviations

Abbreviation	Definition
ADG	Australian Dangerous Goods Code
AICS / AIIC	Australian Inventory of Industrial Chemicals (formerly AICS)
AUH	Additional / Australian Hazard statements
BCF	Bioconcentration Factor
BEI	Biological Exposure Index
CAS	Chemical Abstracts Service Registry Number
DNEL	Derived No Effect Level
DSEN	Dermal sensitiser (SWA WEL 2024 notation)
EC50	Effect Concentration causing effect in 50% of test population
EMS	IMDG Emergency Schedule
ERG / EIP	Emergency Response Guide / Emergency Information Panel (SAA/SNZ HB76)
ES	Exposure Standard (legacy term — now WEL)
GHS	Globally Harmonised System of Classification and Labelling
HCIS	Hazardous Chemical Information System (Safe Work Australia)
IARC	International Agency for Research on Cancer
IDLH	Immediately Dangerous to Life or Health
LC50	Lethal Concentration causing death in 50% of test population
LD50	Lethal Dose causing death in 50% of test population
LOAEL	Lowest Observed Adverse Effect Level
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
OEL	Occupational Exposure Limit
OTO	Ototoxic (SWA WEL 2024 notation)
PC-STEL	Permissible Concentration — Short Term Exposure Limit
PC-TWA	Permissible Concentration — Time Weighted Average
PNEC	Predicted No Effect Concentration
RSEN	Respiratory sensitiser (SWA WEL 2024 notation)
SDS	Safety Data Sheet
Sk	Skin notation — absorption through the skin a significant route
STEL	Short Term Exposure Limit (15 min TWA)

SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
SWA	Safe Work Australia
TEEL	Temporary Emergency Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average (8 hr / 40 hr week)
WEL	Workplace Exposure Limit (Safe Work Australia, April 2024)
WHS	Work Health and Safety

Disclaimer

AGent Sales & Services Pty Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. A properly trained person using this product intends this document only as a guide to the appropriate precautionary handling of the material. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. AGent Sales & Services Pty Ltd makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, AGent Sales & Services Pty Ltd will not be responsible for damages resulting from use of or reliance upon this information.

end of SDS