



Phosphoric Acid 85%

AGent

AGent SDS: Phosphoric Acid 85% [2026.02]

Version No: 2026.02

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Hazard Alert Code: 3

Issue Date: July 2026
Print Date: (auto-fills on print)
AGENT.GHS.AUS.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Phosphoric Acid 85%
Chemical Name	Orthophosphoric acid (75–90%)
Synonyms	Orthophosphoric acid; phosphoric acid
Proper shipping name	PHOSPHORIC ACID, SOLUTION
Chemical formula	H ₃ PO ₄ (75–90%; nominal 85%) in water
Other means of identification	Phosphoric Acid 85% [2026.02]

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Fertiliser / phosphate manufacture; detergents; pharmaceutical / food-grade acid; rust inhibitor; electropolishing; metal cleaning; water treatment; laboratory reagent.
Uses advised against	Not for unprotected domestic / consumer use. Corrosive.

Details of the manufacturer or supplier of the safety data sheet

Registered company name	AGent Sales & Services Pty Ltd
Address	38 May Holman Drive, Bassendean WA 6054, Australia
Telephone	(+61 8) 6270 4500 / 1300 833 844
Website	agentsales.com.au
Email	admin@agentsales.com.au

Emergency telephone number

Association / Organisation	Hazrad (outside 24-hour emergency response provider)
Emergency telephone numbers	08 9418 4200 (24-hour) — answered by Hazrad on AGent's behalf
Other emergency telephone numbers	Poisons Information Centre 131 126 (Australia) / 0800 764 766 (NZ)

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. Scheduled Poison S6. Classified under the WHS Regulations and the ADG Code — Class 8 Corrosive (PG III).

Poisons Schedule (SUSMP)	Schedule 6 (S6) — SUSMP
--------------------------	-------------------------

Classification

- Corrosive to Metals Category 1 — H290
- Skin Corrosion/Irritation Category 1B — H314
- Serious Eye Damage/Eye Irritation Category 1 — H318 (subsumed by H314)

- Acute Toxicity (Inhalation) Category 4 — H332

Label elements

Hazard pictogram(s)	
Signal word	DANGER

Hazard statement(s)

- H290 — May be corrosive to metals.
- H314 — Causes severe skin burns and eye damage.
- H332 — Harmful if inhaled.

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

- P234 — Keep only in original container.
- P260 — Do not breathe dust / fume / gas / mist / vapours / spray.
- P264 — Wash hands thoroughly after handling.
- P280 — Wear protective gloves / protective clothing / eye protection / face protection.

Precautionary statement(s) Response

- P301+P330+P331 — IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P310 — Immediately call a POISON CENTRE / doctor.
- P321 — Specific treatment (see First Aid Measures).
- P303+P361+P353 — IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water / shower.
- P363 — Wash contaminated clothing before reuse.
- P304+P340 — IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 — IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- P310 — Immediately call a POISON CENTRE / doctor.
- P390 — Absorb spillage to prevent material damage.

Precautionary statement(s) Storage

- P405 — Store locked up.
- P406 — Store in a corrosion-resistant container with a resistant inner liner.

Precautionary statement(s) Disposal

- P501 — Dispose of contents/container to an approved waste disposal plant.

Other hazards

Hygroscopic; reacts exothermically with water. Corrodes metals liberating flammable hydrogen. Violent reaction with strong bases and with strong oxidisers / reducers.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures.

Mixtures

CAS No.	% [weight]	Name	Classification
7664-38-2	75 – 90 (nominal 85)	Orthophosphoric acid	Skin Corr. 1B (H314); Acute Tox. 4 — inhalation (H332) — HCIS; Met. Corr. 1 (H290) retained per supplier data
7732-18-5	Balance	Water	Not classified

SECTION 4 First aid measures

Description of first aid measures

Eye Contact

Immediately flush eyes with plenty of water for at least 15 minutes while holding eyelids open. Corrosive — risk of permanent corneal damage / blindness; seek immediate medical attention.

Skin Contact

Remove contaminated clothing and wash affected areas with soap and running water for at least 15 minutes. Corrosive — causes severe burns; seek immediate medical attention. Launder clothing before reuse.

Inhalation

Remove victim from exposure to fresh air. If not breathing, give artificial respiration; if breathing is difficult, give oxygen. Seek immediate medical advice (mist is corrosive to the respiratory tract).

Ingestion

Rinse mouth with water. Give water to drink if conscious. Do NOT induce vomiting. Corrosive — seek immediate medical attention. Never give anything by mouth to an unconscious person. Contact the Poisons Information Centre (Australia 131 126; New Zealand 0800 764 766).

Most important symptoms and effects, both acute and delayed

Corrosive. Causes severe skin and eye burns (permanent eye damage / blindness possible). Inhalation of mist causes severe respiratory irritation, coughing and possible pulmonary oedema. Ingestion causes burns to the mouth and oesophagus, abdominal pain, nausea and possible death.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Corrosive injury management. Contact the Poisons Information Centre (Australia 131 126; New Zealand 0800 764 766).

First Aid facilities

Eye wash facilities and a safety shower must be available in any area where this product is handled.

SECTION 5 Firefighting measures

Extinguishing media

Non-combustible. Use water fog (or fine water spray), alcohol-resistant foam, dry chemical or carbon dioxide suited to the surrounding fire.

Special hazards arising from the substance or mixture

Fire Incompatibility

Thermal decomposition produces toxic phosphorus oxides. Reacts with metals liberating flammable hydrogen; violent reactions with strong bases / oxidisers / reducers.

Advice for firefighters

Fire Fighting

Wear self-contained breathing apparatus (SCBA) and suitable protective clothing.

Fire / Explosion Hazard

Non-combustible aqueous acid. Phosphorus-oxide fumes on heating; flammable hydrogen on metal contact.

HAZCHEM Code	2R
---------------------	----

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See Section 8 for personal protective equipment requirements.

Slippery when spilt — clean up immediately. Evacuate non-essential personnel. Wear PPE to prevent skin / eye contact and breathing vapours. Work upwind / increase ventilation. See Section 8.

Environmental precautions

Prevent product entering drains or waterways. Discharge to the environment must be avoided. If contamination occurs, advise local emergency services.

Methods and material for containment and cleaning up

Minor Spills

Contain and prevent run-off. Neutralise spilled product with lime or soda ash. Absorb with inert material (soil, sand). Collect and seal in labelled containers for disposal per Section 13. Ventilate and wash the spill site after pick-up.

Major Spills

Isolate and ventilate; work upwind. Wear full PPE. Contain (dike), neutralise cautiously, absorb and collect as above. Notify the Environmental Protection Authority if waterways are threatened.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling

Avoid contact with skin, eyes and clothing. Do not inhale vapour / mist / aerosol. Ensure adequate ventilation. Keep out of reach of children. Observe good personal hygiene. Use PPE per Section 8.

Other information

Store in corrosion-resistant, vented containers, sealed when not in use and stored upright. Check regularly for leaks. Store away from incompatible materials (see Section 10).

Conditions for safe storage, including any incompatibilities

Suitable container

Store in a secured, cool, dry, well-ventilated area, in corrosion-resistant containers, sealed and stored upright. Keep away from alkalis, active metal powders and incompatible materials (see Section 10). Check regularly for leaks / damage.

Storage incompatibility

Strong oxidising agents; reducing agents; strong alkalis (violent / exothermic); active powdered metals; fluorine; sulphur trioxide; phosphorus pentoxide; metals. Store away from incompatible materials (see Section 10).

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

Reference: Safe Work Australia, "Workplace Exposure Limits for Airborne Contaminants" (April 2024) by Safe Work Australia.

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
SWA WEL 2024	Orthophosphoric acid	Orthophosphoric acid	1 mg/m ³	3 mg/m ³	Not assigned in SWA WEL 2024	SWA WEL 2024 orthophosphoric acid TWA 1 mg/m ³ ; STEL 3 mg/m ³ .
SWA WEL 2024	Water	Water (component)	Not applicable	Not applicable	Not applicable	Water — no exposure limit defined.

Emergency Limits

Ingredient	TEEL-1	TEEL-2	TEEL-3
Orthophosphoric acid	Refer DOE PAC —	Refer DOE PAC —	Refer DOE PAC —
Ingredient	Original IDLH		Revised IDLH
Orthophosphoric acid	1000 mg/m ³ (NIOSH IDLH for phosphoric acid)		Refer current NIOSH documentation

MATERIAL DATA

No whole-mixture occupational exposure data are available; manage on a per-component basis (above).

Exposure controls

Appropriate engineering controls

Apply the hierarchy of controls (WHS Reg 36). Where elimination or substitution is not reasonably practicable: provide local exhaust ventilation at points of vapour / mist generation; use closed transfer systems where possible; ensure general

ventilation is adequate to keep airborne concentrations below the applicable WEL. Document the risk assessment supporting the chosen control hierarchy.

Individual protection measures, such as personal protective equipment

Eye and face protection

Safety glasses with side shields (AS/NZS 1336 & 1337) as a minimum. Chemical goggles and a face shield (AS/NZS 1336 & 1337) where splash potential exists.

Skin protection

See Hand protection below.

Hands/feet protection

Wear chemical-resistant gloves (rubber or neoprene) and protective clothing (splash apron / chemical-impervious garment and rubber boots) (AS 2161 & 2919, AS/NZS 2210). Face-shield and safety glasses / splash-proof goggles (AS/NZS 1336 & 1337). Use a full-face respirator with acid-gas / vapour filter where vapour control is inadequate (AS/NZS 1715 & 1716).

Body protection

See Other protection below.

Other protection

Long-sleeved chemical-resistant protective clothing and apron (PVC or equivalent)

Respiratory protection

If a risk assessment indicates an inhalation risk exists, wear a half-face or full-face respirator with appropriate filter (selection per AS/NZS 1715; respirator per AS/NZS 1716). Specific cartridge / canister recommendation to be confirmed during respiratory protection risk assessment per AS/NZS 1715.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Property	Value
Appearance	Liquid — clear, colourless
Physical state	Liquid
Odour	Odourless
Odour threshold	No data available in source SDS
pH (as supplied)	1.5 (strongly acidic)
Melting point / freezing point (°C)	-18 to 21 °C (freezing point, concentration-dependent)
Initial boiling point and boiling range (°C)	135 – 158 °C
Flash point (°C)	Not applicable — non-combustible aqueous acid
Evaporation rate	No data available in source SDS
Flammability	Not flammable (liberates flammable hydrogen with metals)
Upper Explosive Limit (%)	Not applicable
Lower Explosive Limit (%)	Not applicable
Vapour pressure (kPa)	~2.2 – 5.7 mmHg at 20 °C
Solubility in water	Miscible
Vapour density (Air = 1)	No data available in source SDS
Relative density (Water = 1)	1.685 at 25 °C
Partition coefficient n-octanol/water	Not applicable — ionic
Auto-ignition temperature (°C)	Not applicable — non-combustible
Decomposition temperature (°C)	No data available in source SDS
Viscosity (cSt)	No data available in source SDS
Molecular weight (g/mol)	98.00 g/mol (H ₃ PO ₄)
Taste	Not applicable — do not taste
Explosive properties	None known
Oxidising properties	None known
Surface Tension (dyn/cm or mN/m)	No data available in source SDS

Volatile Component (% vol)	Water is the main volatile fraction
Gas group	Not applicable
pH as a solution (1%)	Strongly acidic
VOC g/L	0 g/L — inorganic acid solution; no VOC

SECTION 10 Stability and reactivity

Reactivity	Hygroscopic. Reacts exothermically with water; corrodes metals. Violent reactions with strong bases / oxidisers / reducers. See Section 7 / 10.
Chemical stability	Stable under normal conditions of use, storage and temperature.
Possibility of hazardous reactions	Reacts with metals liberating flammable hydrogen. Violent / exothermic reactions with some bases; violent to explosive with strong oxidisers and reducers. Hazardous polymerisation will not occur.
Conditions to avoid	Excessive heat; moisture; sparks; open flames; ignition sources; incompatible materials.
Incompatible materials	See Section 7. Strong oxidisers; reducing agents; strong alkalis; active powdered metals; fluorine; sulphur trioxide; phosphorus pentoxide; metals.
Hazardous decomposition products	Oxides of phosphorus on strong heating.

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled

Mist is corrosive — severe respiratory-tract irritation; high exposure may cause laryngeal / bronchial spasm and pulmonary oedema.

Ingestion

Harmful / corrosive — burns to the mouth and oesophagus, abdominal pain, nausea; severe cases may be fatal.

Skin Contact

Corrosive — causes severe burns (H314); redness, pain, scaling, blistering.

Eye

Corrosive — causes burns; permanent corneal damage / blindness possible.

Chronic

No IARC carcinogen at $\geq 0.1\%$. No other specific chronic data in source SDS.

Per-ingredient toxicity

Ingredient	TOXICITY	IRRITATION
Orthophosphoric acid	Oral LD50 (rat): 1530 mg/kg; Dermal LD50 (rabbit): 2740 mg/kg	Corrosive (Skin Corr. 1B / serious eye damage)
Water	Not applicable	Not applicable

Hazard checklist (whole-product classification basis)

Hazard endpoint	Classified	Hazard endpoint	Classified
Acute Toxicity	—	Carcinogenicity	—
Skin Irritation/Corrosion	✓	Reproductive Toxicity	—
Serious Eye Damage/Irritation	✓	STOT — Single Exposure	—
Respiratory or Skin Sensitisation	—	STOT — Repeated Exposure	—
Mutagenicity	—	Aspiration Hazard	—

Legend: ✓ = Data available to make classification; — = Data either not available or does not fill the criteria for classification.

Information on possible routes of exposure

Absorbed by ingestion, inhalation of mist / aerosol, skin and / or eye contact.

Additional Information

RTECS	Not available
-------	---------------

SECTION 12 Ecological information

Toxicity

Ingredient	Endpoint	Test Duration	Species	Value	Source
Orthophosphoric acid	LC50 (fish)	96 h	Fish	138 mg/L	AGent SDS
Orthophosphoric acid	pH / nutrient effect	Not applicable	Aquatic organisms (general)	Harmful via depression of pH; phosphate nutrient enrichment	AGent SDS

Environmental precaution: Prevent entry to drains, waterways and soak-aways. Notify the relevant Environmental Protection Authority if waterway contamination occurs.

Persistence and degradability

Ingredient	Persistence: Water / Soil	Persistence: Air
Orthophosphoric acid	Not applicable in the OECD sense — inorganic acid; dissociates to	Not applicable — aqueous product.

	phosphate; acidity neutralises on dilution.	
--	---	--

Bioaccumulative potential

Ingredient	Bioaccumulation
Orthophosphoric acid	Not expected to bioaccumulate (ionic).

Mobility in soil

Ingredient	Mobility
Orthophosphoric acid	Miscible and mobile in water; phosphate is a mobile nutrient.

Other adverse effects

Acidic — may depress pH and cause phosphate (nutrient) enrichment of waterways. Avoid uncontrolled discharge.

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal

- Recycle wherever possible.
- Ensure waste disposal conforms to all relevant local, state and federal authority waste disposal regulations.
- Do NOT discharge into sewers or waterways.
- Empty containers should be returned via AGent's Closed Loop container return program where applicable.
- Whatever cannot be saved for recovery or recycling should be managed through an approved waste disposal facility.
- Cautiously neutralise (lime / soda ash) before disposal; dispose of in accordance with local, state and federal regulations.
Do not discharge to sewer / waterways.

SECTION 14 Transport information

Labels Required	Class 8 (Corrosive) — see ADG Table 3.2.3
Marine Pollutant	No
HAZCHEM Code	2R

Land transport (ADG)

UN number	1805
UN proper shipping name	PHOSPHORIC ACID, SOLUTION
Transport hazard class(es)	Class 8 (Corrosive); Subsidiary Hazard: Not Applicable
Packing group	III
Environmental hazard	Not Applicable
Special precautions for user	ADG Table 3.2.3 (UN 1805 PG III): Special Provisions (ADG): 223 —If the chemical or physical properties of a substance covered by this description are such that when tested it does not meet the established defining criteria for the Class or division listed in column (3), or any other Class or division, it is not subject to this Code. Limited Quantities (LQ): Dangerous goods exemptions apply for road/rail transport when packed in inner packagings with a net volume not exceeding 5 L and outer packagings with a gross mass not exceeding 30 kg. Excepted Quantities (EQ): Code E1 applies. Maximum net quantity per inner packaging is 30 mL. Maximum net quantity per outer packaging is 1 L.
ERG / EIP number	ANZ-ERG 2024 Guide 154 (Substances - Toxic and/or Corrosive, Non-Combustible).

Air transport (ICAO-IATA / DGR)

UN number	1805
UN proper shipping name (lowercase)	Phosphoric acid solution
ICAO/IATA Class	Class 8; ERG Code: Not Applicable — AGent does not air-freight
Packing group	III
Environmental hazard	Not Applicable
Special provisions	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above.
Cargo Only Packing Instructions	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.
Cargo Only Max Qty/Pack	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.
Passenger and Cargo Packing Instructions	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.
Passenger and Cargo Max Qty/Pack	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.

Sea transport (IMDG-Code / GGVSee)

UN number	1805
UN proper shipping name	PHOSPHORIC ACID, SOLUTION
IMDG Class	Class 8
Packing group	III

Environmental hazard	Not a Marine Pollutant
EMS Number	F-A, S-B
Special provisions	Not Applicable — AGent does not export this product or transport it by sea. Refer to land transport (ADG) above.

Transport in bulk according to MARPOL Annex II and the IBC Code

Not Applicable — AGent does not transport this product in bulk by sea.

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
Phosphoric Acid 85%	Not Applicable — AGent does not transport this product in bulk by sea.

Transport in bulk in accordance with the IGC Code

Product name	Ship Type
Phosphoric Acid 85%	Not Applicable — AGent does not transport this product in bulk by sea.

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

ORTHOPHOSPHORIC ACID (CAS 7664-38-2) is found on / assessed against the following regulatory lists:

- Australia Hazardous Chemical Information System (HCIS): Skin Corr. 1B (H314); Acute Tox. 4
- Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 6 (S6)
- Australian Inventory of Industrial Chemicals (AIIC): Listed
- IARC Group classification: Not classified
- Schedule 10 of the model WHS Regulations (prohibited / restricted carcinogens): Not listed
- Schedule 14 of the model WHS Regulations (health monitoring trigger): Not listed

Additional Regulatory Information

Subject to: Work Health and Safety (General) Regulations 2022 (WA); "Workplace Exposure Limits for Airborne Contaminants" (April 2024) by Safe Work Australia; Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code) current edition.

National Inventory Status

Country / Inventory	Listed
Australia (AIIC / AICS)	Yes
Canada (DSL)	Not applicable — AGent does not export this product
Canada (NDSL)	Not applicable — AGent does not export this product
China (IECSC)	Not applicable — AGent does not export this product
Europe (EINECS / ELINCS / NLP)	Not applicable — AGent does not export this product
Japan (ENCS)	Not applicable — AGent does not export this product
Korea (KECI)	Not applicable — AGent does not export this product
New Zealand (NZIoC)	Not applicable — AGent does not export this product
Philippines (PICCS)	Not applicable — AGent does not export this product
USA (TSCA)	Not applicable — AGent does not export this product
Taiwan (TCSI)	Not applicable — AGent does not export this product
Mexico (INSQ)	Not applicable — AGent does not export this product

Vietnam (NCI)	Not applicable — AGen does not export this product
Russia (FBEPH)	Not applicable — AGen does not export this product

Legend: Yes = All CAS declared ingredients are on the inventory; No = One or more CAS listed ingredients are not on the inventory (may be exempt or require registration).

SECTION 16 Other information

Revision Date	July 2026
Initial Date	June 2026 (AGent 2026 format)

SDS Version Summary

Version	Date of Update	Sections Updated
2026.02 (AGent 2026 format)	July 2026	§3 ingredient classification(s) harmonised to the substance-level determination for CAS 7664-38-2 (SWA HCIS where listed; documented supplier basis otherwise) — cross-CAS consistency triage, 24 July 2026. Substance classification is a property of the CAS number and must be identical across all AGen SDS.
2026.01 (AGent 2026 format); earlier: V2.2 (legacy AGen format — older Material Safety Data Sheet)	June 2026	Reformatted from the legacy V2.2 document (older Material-Safety-Data-Sheet-era format) to AGen 2026 SDS layout. §8 updated to SWA WEL 2024 (orthophosphoric acid 1 mg/m ³ TWA / 3 mg/m ³ STEL); §14 ERG updated to ANZ-ERG 2024 Guide 154 (was legacy HB76 EIP 37); removed superseded legacy abbreviations and exposure-standard references; AICS→AIIC. Classification consolidated: Skin Corr 1B (H314) subsumes the separately-listed Eye Dam 1 (H318). DG status unchanged (UN 1805 Class 8 PG III; S6).

Other information

This SDS is intended as a hazard communication tool to assist in workplace Risk Assessment. It is not an Australian Standard or a definitive document.

Definitions and abbreviations

Abbreviation	Definition
ADG	Australian Dangerous Goods Code
AICS / AIIC	Australian Inventory of Industrial Chemicals (formerly AICS)
AUH	Additional / Australian Hazard statements
BCF	Bioconcentration Factor
BEI	Biological Exposure Index
CAS	Chemical Abstracts Service Registry Number
DNEL	Derived No Effect Level
DSEN	Dermal sensitiser (SWA WEL 2024 notation)
EC50	Effect Concentration causing effect in 50% of test population
EMS	IMDG Emergency Schedule
ERG / EIP	Emergency Response Guide / Emergency Information Panel (SAA/SNZ HB76)
ES	Exposure Standard (legacy term — now WEL)
GHS	Globally Harmonised System of Classification and Labelling
HCIS	Hazardous Chemical Information System (Safe Work Australia)
IARC	International Agency for Research on Cancer
IDLH	Immediately Dangerous to Life or Health
LC50	Lethal Concentration causing death in 50% of test population
LD50	Lethal Dose causing death in 50% of test population
LOAEL	Lowest Observed Adverse Effect Level
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
OEL	Occupational Exposure Limit
OTO	Ototoxic (SWA WEL 2024 notation)

PC-STEL	Permissible Concentration — Short Term Exposure Limit
PC-TWA	Permissible Concentration — Time Weighted Average
PNEC	Predicted No Effect Concentration
RSEN	Respiratory sensitiser (SWA WEL 2024 notation)
SDS	Safety Data Sheet
Sk	Skin notation — absorption through the skin a significant route
STEL	Short Term Exposure Limit (15 min TWA)
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
SWA	Safe Work Australia
TEEL	Temporary Emergency Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average (8 hr / 40 hr week)
WEL	Workplace Exposure Limit (Safe Work Australia, April 2024)
WHS	Work Health and Safety

Disclaimer

AGent Sales & Services Pty Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. A properly trained person using this product intends this document only as a guide to the appropriate precautionary handling of the material. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. AGent Sales & Services Pty Ltd makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, AGent Sales & Services Pty Ltd will not be responsible for damages resulting from use of or reliance upon this information.

end of SDS