



Sodium Hydroxide 2% Solution

AGent

AGent SDS: Sodium Hydroxide 2% Solution [2026.02]

Version No: 2026.02

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Hazard Alert Code: 3

Issue Date: June 2026

Print Date: (auto-fills on print)

AGENT.GHS.AUS.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Sodium Hydroxide 2% Solution
Chemical Name	Sodium hydroxide, aqueous solution
Synonyms	Caustic soda solution; soda lye solution; sodium hydroxide 2% solution; NaOH solution
Proper shipping name	SODIUM HYDROXIDE SOLUTION
Chemical formula	NaOH (aqueous)
Other means of identification	Sodium Hydroxide 2% Solution [2026.02]

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Chemical manufacture; acid neutralisation; pulp, paper, aluminium, detergent and textile processing; vegetable oil refining; reclaiming rubber; etching and electroplating; food additive.
Uses advised against	Do NOT add concentrated acid directly to the solution (violent exothermic neutralisation). Add to water, never water to product.

Details of the manufacturer or supplier of the safety data sheet

Registered company name	AGent Sales & Services Pty Ltd
Address	38 May Holman Drive, Bassendean WA 6054, Australia
Telephone	(+61 8) 6270 4500 / 1300 833 844
Website	agentsales.com.au
Email	admin@agentsales.com.au

Emergency telephone number

Association / Organisation	Hazrad (outside 24-hour emergency response provider)
Emergency telephone numbers	08 9418 4200 (24-hour) — answered by Hazrad on AGent's behalf
Other emergency telephone numbers	Poisons Information Centre 131 126 (Australia) / 0800 764 766 (NZ)

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS Class 8 (Corrosive). Scheduled Poison S6. Classified under the WHS Regulations.

Poisons Schedule (SUSMP)	Schedule 6 (S6) — SUSMP
--------------------------	-------------------------

Classification

- Corrosive to Metals Category 1 — H290
- Skin Corrosion/Irritation Category 1A — H314
- Serious Eye Damage/Eye Irritation Category 1 — H318 (subsumed by H314)

Label elements

Hazard pictogram(s)	
Signal word	Danger

Hazard statement(s)

- H290 — May be corrosive to metals.
- H314 — Causes severe skin burns and eye damage.

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

- P234 — Keep only in original container.
- P260 — Do not breathe dust / fume / mist / vapours / spray.
- P264 — Wash hands thoroughly after handling.
- P280 — Wear protective gloves / protective clothing / eye protection / face protection.

Precautionary statement(s) Response

- P301+P330+P331 — IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P310 — Immediately call a POISON CENTRE / doctor.
- P303+P361+P353 — IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water / shower.
- P321 — Specific treatment (see first aid advice in Section 4).
- P363 — Wash contaminated clothing before reuse.
- P304+P340 — IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 — IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- P310 — Immediately call a POISON CENTRE / doctor.
- P390 — Absorb spillage to prevent material damage.

Precautionary statement(s) Storage

- P405 — Store locked up.
- P406 — Store in a corrosion-resistant container with a resistant inner liner.

Precautionary statement(s) Disposal

- P501 — Dispose of contents/container in accordance with local, state and federal regulations.

Other hazards

Strongly alkaline aqueous solution. Further dilution with water is exothermic. Contact with metals (aluminium, zinc, tin) liberates flammable hydrogen gas. Slowly absorbs CO₂ from air, forming carbonate.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures.

Mixtures

CAS No.	% [weight]	Name	Classification
1310-73-2	2	Sodium hydroxide	Skin Corr. 1A (H314); STOT SE 3 (H335) — HCIS; Met. Corr. 1 (H290) retained per supplier/ADG data
7732-18-5	96 – 98	Water	Not classified

SECTION 4 First aid measures

Description of first aid measures

Eye Contact

Immediately rinse thoroughly with plenty of running water for at least 15 minutes, keeping eyelids open. Check for and remove any contact lenses if easy to do. Continue rinsing. Seek immediate medical assistance — can cause corneal burns and permanent injury.

Skin Contact

Remove contaminated clothing and wash affected areas with plenty of water / shower. Consult a doctor/physician. Launder clothing before reuse. Corrosive — may cause severe burns.

Inhalation

Remove victim from area of exposure — avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Keep at rest and warm. If breathing is difficult, have a qualified person give oxygen. Apply artificial respiration if not breathing. Seek immediate medical advice.

Ingestion

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Give plenty of water (or milk) to drink — no more than 2 glasses for an adult. Seek immediate medical assistance. Neutralising agents must NOT be given (exothermic reaction may compound injury).

Most important symptoms and effects, both acute and delayed

Corrosive to eyes, skin and respiratory tract. Eye contact can cause corneal burns and permanent injury. Skin contact causes severe irritation and burns. Ingestion causes nausea, vomiting, diarrhoea and chemical burns to the GI tract. Inhalation of mists/aerosols produces respiratory irritation, and at high concentrations laryngitis, bronchospasm, pneumonitis and pulmonary oedema.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Damage by alkaline corrosives occurs by liquefaction necrosis and continues after exposure — irrigate affected skin/eyes for 20-30 minutes (saline for eyes). Contact the Poisons Information Centre (Australia 131 126; New Zealand 0800 764 766).

First Aid facilities

Eye wash facilities and a safety shower must be available in any area where this product is handled.

SECTION 5 Firefighting measures

Extinguishing media

Use extinguishing media appropriate to the surrounding fire. Non-combustible itself.

Special hazards arising from the substance or mixture

Fire Incompatibility

Not combustible. May liberate toxic sodium oxide fumes in fire. Contact with metals may liberate flammable hydrogen gas.

Advice for firefighters

Fire Fighting

Wear self-contained breathing apparatus (SCBA) and suitable protective clothing. Prevent fire-fighting water from contaminating surface or ground water.

Fire / Explosion Hazard

Non-combustible solid. Toxic sodium oxide fumes and flammable hydrogen (with metals) possible.

HAZCHEM Code	2R
--------------	----

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See Section 8 for personal protective equipment requirements.

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Work upwind. Evacuate personnel to safe areas. See Section 8 for PPE.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. If contamination of sewers or waterways occurs, advise local emergency services.

Methods and material for containment and cleaning up

Minor Spills

Slippery when spilt — clean up immediately. Wear protective equipment to prevent skin/eye contact and mist inhalation. Contain the spill; absorb with inert material (soil, sand). Collect and seal in labelled containers for disposal. Caution — heat may be evolved on further dilution with water.

Major Spills

Contain — prevent run-off into drains and waterways. Collect as above into labelled containers/drums for disposal. Notify the Environmental Protection Authority if waterways are threatened.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling

Avoid formation of mists and aerosols. Avoid skin/eye contact and breathing in mist / vapour. Keep out of reach of children. Risk of splash-back if added to HOT water — always add product to water. Observe good personal hygiene.

Other information

Keep containers closed when not in use; check regularly for spills. Store away from foodstuffs and incompatible materials (Section 10).

Conditions for safe storage, including any incompatibilities

Suitable container

Store in a cool, dry, well-ventilated place out of direct sunlight. Keep containers closed (absorbs CO₂ from air). Do not store in aluminium or galvanised containers. Store away from foodstuffs and incompatible materials (Section 10). Classified DG Class 8 / Scheduled Poison S6 — store per the relevant regulations.

Storage incompatibility

Acids (violent reaction); ammonium salts; chlorinated hydrocarbons; aluminium, zinc, lead, tin and their alloys (liberate hydrogen). See Section 10.

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

Reference: Safe Work Australia, "Workplace Exposure Limits for Airborne Contaminants" (April 2024) by Safe Work Australia.

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
SWA WEL 2024	Sodium hydroxide (1310-73-2)	Sodium hydroxide	Not assigned (peak limitation applies)	Not assigned	2 mg/m ³ (peak limitation)	Peak limitation — a ceiling concentration not to be exceeded over a period as short as possible (≤15 min).

Emergency Limits

Ingredient	TEEL-1	TEEL-2	TEEL-3
Sodium hydroxide	0.5 mg/m ³ (DOE PAC, sodium hydroxide)	5 mg/m ³ (DOE PAC)	50 mg/m ³ (DOE PAC)
Ingredient	Original IDLH		Revised IDLH
Sodium hydroxide	10 mg/m ³ (NIOSH)		10 mg/m ³ (NIOSH)

MATERIAL DATA

No whole-mixture occupational exposure data are available; manage on a per-component basis (above).

Exposure controls

Appropriate engineering controls

Apply the hierarchy of controls (WHS Reg 36). Where elimination or substitution is not reasonably practicable: provide local exhaust ventilation at points of vapour / mist generation; use closed transfer systems where possible; ensure general ventilation is adequate to keep airborne concentrations below the applicable WEL. Document the risk assessment supporting the chosen control hierarchy.

Individual protection measures, such as personal protective equipment

Eye and face protection

Safety glasses with side shields (AS/NZS 1336 & 1337) as a minimum. Chemical goggles and a face shield (AS/NZS 1336 & 1337) where splash potential exists.

Skin protection

See Hand protection below.

Hands/feet protection

Rubber / chemical-impervious gloves; splash apron or chemical-impervious outer garment and rubber boots (AS 2161, AS 2919, AS/NZS 2210). Face shield, chemical goggles or safety glasses with side shields (AS/NZS 1336 & 1337). Where airborne dust/mist may exceed the exposure standard, a full-face respirator with multi-purpose / type ABEK cartridges, or supplied-air respirator (AS/NZS 1715 & 1716). Eye-wash and safety shower must be available.

Body protection

See Other protection below.

Other protection

Long-sleeved chemical-resistant protective clothing and apron (PVC or equivalent)

Respiratory protection

If a risk assessment indicates an inhalation risk exists, wear a half-face or full-face respirator with appropriate filter (selection per AS/NZS 1715; respirator per AS/NZS 1716). Specific cartridge / canister recommendation to be confirmed during respiratory protection risk assessment per AS/NZS 1715.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Property	Value
Appearance	Clear colourless liquid
Physical state	Liquid
Odour	Odourless
Odour threshold	No data available in source SDS
pH (as supplied)	14 — strongly alkaline
Melting point / freezing point (°C)	Approx. 0 – 12 °C freezing point (concentration-dependent)
Initial boiling point and boiling range (°C)	Approx. 110 – 145 °C (concentration-dependent)
Flash point (°C)	Not applicable — non-combustible aqueous solution
Evaporation rate	No data available in source SDS
Flammability	Not flammable (non-combustible)
Upper Explosive Limit (%)	Not applicable
Lower Explosive Limit (%)	Not applicable
Vapour pressure (kPa)	No data available in source SDS
Solubility in water	Miscible in water in all proportions
Vapour density (Air = 1)	No data available in source SDS
Relative density (Water = 1)	1.02 (typical for 2% NaOH at 20 °C; concentration-dependent)
Partition coefficient n-octanol/water	Not applicable — ionic
Auto-ignition temperature (°C)	Not applicable — non-combustible

Decomposition temperature (°C)	No data available in source SDS
Viscosity (cSt)	Higher than water; increases with concentration
Molecular weight (g/mol)	40.0 g/mol (NaOH solute)
Taste	Not applicable — do not taste
Explosive properties	None known
Oxidising properties	None known
Surface Tension (dyn/cm or mN/m)	No data available in source SDS
Volatile Component (% vol)	Water
Gas group	Not applicable
pH as a solution (1%)	~13 (strongly alkaline)
VOC g/L	0 g/L — inorganic solution; no VOC

SECTION 10 Stability and reactivity

Reactivity	Reacts violently with acids. Reacts exothermically on dilution with water. See Section 10.
Chemical stability	Stable under normal storage conditions. Hygroscopic — slowly absorbs moisture and CO ₂ from air.
Possibility of hazardous reactions	May react violently with strong acids. In contact with water may generate enough heat to ignite combustibles. With metals may produce flammable / explosive hydrogen gas. May form spontaneously combustible compounds with organohalogens; may react explosively with nitro / chloro organic compounds.
Conditions to avoid	Dust generation; exposure to moisture; contact with foodstuffs.
Incompatible materials	See Section 7. Acids; ammonium salts; chlorinated hydrocarbons; aluminium, zinc, lead, tin and alloys.
Hazardous decomposition products	None under normal conditions. Sodium oxide fumes on strong heating.

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled

Breathing in mists / aerosols produces respiratory irritation; high concentrations may cause coughing, laryngitis, bronchospasm, pneumonitis and pulmonary oedema.

Ingestion

Causes nausea, vomiting, diarrhoea, abdominal pain and chemical burns to the GI tract.

Skin Contact

Contact causes severe irritation; corrosive — may cause skin burns.

Eye

Severe eye irritant; corrosive — contact can cause corneal burns and permanent injury.

Chronic

No component $\geq 0.1\%$ is an IARC carcinogen. Alkalis continue to cause damage after exposure.

Per-ingredient toxicity

Ingredient	TOXICITY	IRRITATION
Sodium hydroxide	Oral LD50 (rabbit): 325 mg/kg	Skin (rabbit) 500 mg/24 h — SEVERE; Eye (rabbit) 0.05 mg/24 h — SEVERE

Hazard checklist (whole-product classification basis)

Hazard endpoint	Classified	Hazard endpoint	Classified
Acute Toxicity	—	Carcinogenicity	—
Skin Irritation/Corrosion	✓ Skin Corrosion Category 1A (H314)	Reproductive Toxicity	—
Serious Eye Damage/Irritation	✓ Serious Eye Damage Category 1 (H318, subsumed by H314)	STOT — Single Exposure	—
Respiratory or Skin Sensitisation	—	STOT — Repeated Exposure	—
Mutagenicity	—	Aspiration Hazard	—

Legend: ✓ = Data available to make classification; — = Data either not available or does not fill the criteria for classification.

Information on possible routes of exposure

May be absorbed by skin and eye contact, ingestion and inhalation.

Additional Information

RTECS	WB4900000 (sodium hydroxide)
-------	------------------------------

SECTION 12 Ecological information

Toxicity

Ingredient	Endpoint	Test Duration	Species	Value	Source
Sodium hydroxide	LC50 (Gambusia affinis, mosquito fish)	96 h	Fish	125 mg/L	AGent legacy V2.2
Sodium hydroxide	LC50 (Oncorhynchus mykiss, rainbow trout)	96 h	Fish	45.4 mg/L	AGent legacy V2.2

Sodium hydroxide	EC50 (Daphnia magna, water flea)	48 h	Daphnia	40.38 mg/L	AGent legacy V2.2
------------------	----------------------------------	------	---------	------------	-------------------

Environmental precaution: Prevent entry to drains, waterways and soak-aways. Notify the relevant Environmental Protection Authority if waterway contamination occurs.

Persistence and degradability

Ingredient	Persistence: Water / Soil	Persistence: Air
Sodium hydroxide	Dissociates to sodium and hydroxide ions; neutralised by acids / atmospheric CO ₂ . Raises pH of receiving water.	Not applicable — non-volatile solid.

Bioaccumulative potential

Ingredient	Bioaccumulation
Sodium hydroxide	Does not bioaccumulate (inorganic, ionic).

Mobility in soil

Ingredient	Mobility
Sodium hydroxide	Very soluble and mobile in water.

Other adverse effects

Harmful to aquatic life through pH elevation. Avoid contaminating waterways.

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal

- Recycle wherever possible.
- Ensure waste disposal conforms to all relevant local, state and federal authority waste disposal regulations.
- Do NOT discharge into sewers or waterways.
- Empty containers should be returned via AGent's Closed Loop container return program where applicable.
- Whatever cannot be saved for recovery or recycling should be managed through an approved waste disposal facility.
- Dispose of in accordance with local, state and federal regulations. Whatever cannot be recovered or recycled should be handled as hazardous waste and sent to an approved waste facility. Empty packaging should be disposed of as unused product.

SECTION 14 Transport information

Labels Required	Class 8 (Corrosive)
Marine Pollutant	No
HAZCHEM Code	2R

Land transport (ADG)

UN number	1824
UN proper shipping name	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)	8 (Corrosive). Classified as DANGEROUS GOODS by the criteria of the ADG Code for transport by road or rail.
Packing group	II
Environmental hazard	Not a Marine Pollutant
Special precautions for user	UN 1824 PG II in ADG Table 3.2.3 — Special Provisions (ADG): None allocated. Limited Quantities (LQ): Dangerous goods exemptions apply for road/rail transport when packed in inner packagings with a net volume not exceeding 1 L and outer packagings with a gross mass not exceeding 30 kg. Excepted Quantities (EQ): Code E2 applies. Maximum net quantity per inner packaging is 30 mL. Maximum net quantity per outer packaging is 500 mL.
ERG / EIP number	ANZ-ERG 2024 Guide 154 (replaces legacy HB76 #37).

Air transport (ICAO-IATA / DGR)

UN number	1824
UN proper shipping name (lowercase)	SODIUM HYDROXIDE SOLUTION
ICAO/IATA Class	Class 8 (Corrosive), PG II
Packing group	II
Environmental hazard	Not environmentally hazardous
Special provisions	Classified as DANGEROUS GOODS by the criteria of the IATA Code for transport by air.
Cargo Only Packing Instructions	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.
Cargo Only Max Qty/Pack	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.
Passenger and Cargo Packing Instructions	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.
Passenger and Cargo Max Qty/Pack	Not Applicable — AGent does not transport this product by air. Refer to land transport (ADG) above for the applicable classification.

Sea transport (IMDG-Code / GGVSee)

UN number	1824
UN proper shipping name	SODIUM HYDROXIDE SOLUTION
IMDG Class	Class 8 (Corrosive), PG II
Packing group	II
Environmental hazard	Not a Marine Pollutant
EMS Number	F-A, S-B
Special provisions	Classified as DANGEROUS GOODS by the criteria of the IMDG Code for transport by sea.

Transport in bulk according to MARPOL Annex II and the IBC Code

Not Applicable — AGent does not transport this product in bulk by sea.

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
Sodium Hydroxide 2% Solution	Not Applicable — AGent does not transport this product in bulk by sea.

Transport in bulk in accordance with the IGC Code

Product name	Ship Type
Sodium Hydroxide 2% Solution	Not Applicable — AGent does not transport this product in bulk by sea.

SECTION 15 Regulatory information**Safety, health and environmental regulations / legislation specific for the substance or mixture**

SODIUM HYDROXIDE (CAS 1310-73-2) is found on / assessed against the following regulatory lists:

- Australia Hazardous Chemical Information System (HCIS): Skin Corr. 1A (H314); STOT SE 3 (H335)
- Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 6 (S6)
- Australian Inventory of Industrial Chemicals (AIIC): Listed
- IARC Group classification: Not classified
- Schedule 10 of the model WHS Regulations (prohibited / restricted carcinogens): Not listed
- Schedule 14 of the model WHS Regulations (health monitoring trigger): Not listed

Additional Regulatory Information

Subject to: Work Health and Safety (General) Regulations 2022 (WA); "Workplace Exposure Limits for Airborne Contaminants" (April 2024) by Safe Work Australia; Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code) current edition.

National Inventory Status

Country / Inventory	Listed
Australia (AIIC / AICS)	Yes
Canada (DSL)	Not applicable — AGent does not export this product
Canada (NDSL)	Not applicable — AGent does not export this product
China (IECSC)	Not applicable — AGent does not export this product
Europe (EINECS / ELINCS / NLP)	Not applicable — AGent does not export this product
Japan (ENCS)	Not applicable — AGent does not export this product
Korea (KECI)	Not applicable — AGent does not export this product
New Zealand (NZIoC)	Not applicable — AGent does not export this product
Philippines (PICCS)	Not applicable — AGent does not export this product
USA (TSCA)	Not applicable — AGent does not export this product
Taiwan (TCSI)	Not applicable — AGent does not export this product
Mexico (INSQ)	Not applicable — AGent does not export this product
Vietnam (NCI)	Not applicable — AGent does not export this product
Russia (FBEPH)	Not applicable — AGent does not export this product

Legend: Yes = All CAS declared ingredients are on the inventory; No = One or more CAS listed ingredients are not on the inventory (may be exempt or require registration).

SECTION 16 Other information

Revision Date	June 2026
Initial Date	June 2026 (AGent 2026 format; reformatted from legacy V1.2)

SDS Version Summary

Version	Date of Update	Sections Updated
2026.02 (AGent 2026 format)	July 2026	§3 ingredient classification(s) harmonised to the substance-level determination for CAS 1310-73-2 (SWA HCIS where listed; documented supplier basis otherwise) — cross-CAS consistency triage, 24 July 2026. Substance classification is a property of the CAS number and must be identical across all AGent SDS.
2026.01 (AGent 2026 format, this draft); earlier: V1.2 (legacy AGent format)	June 2026 (DRAFT)	Reformatted from the legacy V2.2 document to AGent 2026 SDS layout. §8 updated to SWA WEL 2024; §14 ERG updated to ANZ-ERG 2024 Guide 154 (replacing legacy HB76:2010 #37); AICS→AIIC; legacy abbreviations updated to current SDS terminology. Classification unchanged (Met Corr 1 / Skin Corr 1A / Eye Dam 1; DG Class 8 PG II; S6).

Other information

This SDS is intended as a hazard communication tool to assist in workplace Risk Assessment. It is not an Australian Standard or a definitive document.

Definitions and abbreviations

Abbreviation	Definition
ADG	Australian Dangerous Goods Code
AICS / AIIC	Australian Inventory of Industrial Chemicals (formerly AICS)
AUH	Additional / Australian Hazard statements
BCF	Bioconcentration Factor
BEI	Biological Exposure Index
CAS	Chemical Abstracts Service Registry Number
DNEL	Derived No Effect Level
DSEN	Dermal sensitiser (SWA WEL 2024 notation)
EC50	Effect Concentration causing effect in 50% of test population
EMS	IMDG Emergency Schedule
ERG / EIP	Emergency Response Guide / Emergency Information Panel (SAA/SNZ HB76)
ES	Exposure Standard (legacy term — now WEL)
GHS	Globally Harmonised System of Classification and Labelling
HCIS	Hazardous Chemical Information System (Safe Work Australia)
IARC	International Agency for Research on Cancer
IDLH	Immediately Dangerous to Life or Health
LC50	Lethal Concentration causing death in 50% of test population
LD50	Lethal Dose causing death in 50% of test population
LOAEL	Lowest Observed Adverse Effect Level
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
OEL	Occupational Exposure Limit
OTO	Ototoxic (SWA WEL 2024 notation)
PC-STEL	Permissible Concentration — Short Term Exposure Limit
PC-TWA	Permissible Concentration — Time Weighted Average
PNEC	Predicted No Effect Concentration
RSEN	Respiratory sensitiser (SWA WEL 2024 notation)

SDS	Safety Data Sheet
Sk	Skin notation — absorption through the skin a significant route
STEL	Short Term Exposure Limit (15 min TWA)
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
SWA	Safe Work Australia
TEEL	Temporary Emergency Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average (8 hr / 40 hr week)
WEL	Workplace Exposure Limit (Safe Work Australia, April 2024)
WHS	Work Health and Safety

Disclaimer

AGent Sales & Services Pty Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. A properly trained person using this product intends this document only as a guide to the appropriate precautionary handling of the material. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. AGent Sales & Services Pty Ltd makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, AGent Sales & Services Pty Ltd will not be responsible for damages resulting from use of or reliance upon this information.

end of SDS